





Sensor Technologies on Flexible Substrates: In-Space Manufacturing

Jessica Koehne
Center for Nanotechnology
NASA Ames Research Center
4/26/2016

In-Space Manufacturing

- No need to wait for resupply
- Fabrication on-demand
- Printers and Functional Inks
- Compliant or woven substrates allow easy integration into flexible or compliant surfaces
- Technologies include:
 - Energy generation & storage
 - Communication
 - Integrated circuits
 - **Sensors**



Printing Materials and Methods

Manufacturing

Roll-to-Roll
Screen Printing
Gravure
Transfer

INK JET

PLASMA JET

Substrates

Silicon
Kapton
Metal
Glass
Ceramic



PAPER

POLYMER

Inks

Conductor
Semiconductor
Insulator
Passivation
Catalyst
Biological agent

Carbon Nanotube Based elnk and Printing




Advantages of Paper



- **Sensors fabricated on paper**
 - Gas sensor, chemical sensor, bio sensor, and strain gauge
 - Detection of structural defects and cracks, structural health monitoring
 - Commercial: Intelligent packaging, advertising banner, newspaper
- **Features**
 - Flexible, bendable, foldable
 - Bio-degradable: green technology
 - Robust at cryogenic temperatures
 - Role-to-role printing or ink-jet printing process
 - Cheaper than solid-state sensors
 - Biomedical: Single-time use, disposable

Printing Approaches



Fountain Pen:





Inkjet:



Atmospheric Pressure Plasma Jet:







Atmospheric Pressure Plasma Jet






- Glass tube or nozzle; two copper band electrodes (20 mm apart)
- Helium atmospheric plasma
 - can introduce different gases for chemistry control (e.g. hydrogen for reduction)
- Nanocolloids, organic materials etc. transported as aerosol by carrier gas
- Spot size can be altered by changing print head nozzle diameter
- Multiple jets for different coatings

Technology Demo: Chemical Sensing

• Humidity and NH_3 Sensor on Paper






• NH_3 Sensor on Textiles





Technology Demo: Biological Sensing

• Sensors on Paper



• Sensor on Polyimide



Sensors on Flexible Substrates for Next Generation EVA Suit

- Human health monitoring
 - Skin Wearable Sensors
 - Sweat, saliva, urine, blood
 - Health & human performance
 - pH, proteins, ions, etc.
 - In Suit Sensors
 - Breath
 - Health & human performance
 - O₂, CO₂, acetone, NO₂
- Environmental monitoring
 - Gas or vapor
 - CO, NH₃, hydrazine
- Structural Health Monitoring
 - Strain



Acknowledgements

NASA ARC

- **Jinwoo Han**
- **Ramprasad Gandhiraman**
- **Beomseok Kim**
- Emily Rand
- Rakesh Gupta
- Ruchi Pandya
- Mikalojus Brazdziunas
- Josephine Cunningham
- Nicholas Brenes
- **Tony Ricco**
- **Jing Li**
- **M. Meyyappan**

Collaborators

- Gregory Whiting – PARC
- Richard Crooks – UT Austin
- David Estrada – Boise State